



Weatherford®

Weatherford EDR Drill Log
Time Based Data
Green Canyon 955 H-005



Weatherford®

Legend

- Drilling Data:**
 BC bit condition
 BS bit size
 CB core bit
 CBR core bit re-run
 CR core
 CSG casing
 DC depth correction
 DIR directional survey
 DS deviation survey
 DST drill stem test
 LC lost circulation
 LCM lost circ material
 MM mud motor
 NB new bit
 PO pump output
 PP pump pressure
 RPM rotary speed
 RR re-run bit
 SPM pump strokes
 SPP stand pipe pressure
 TRQ torque
 TVD true vertical depth
 WLL wireline log
 WOB weight on bit
- Mud Data:**
 CL chlorides
 FC filter cake
 FV funnel viscosity
 LAT lagged after trip

Block: Green Canyon 955
RUE: OCS-G 30344
Well: H-005
Operator: University of Texas at Austin
Rig: Helix Q400
Type: Semi-Sub
Air gap: 52 ft
Water Depth: 6718 ft
Location: 27.000506N -90.426708W
Target: Methane Hydrate

Notes:

Top of sea floor @ 6718' MD
 Core Run @ 7645' - 7651' MD
 Core Run @ 8081' MD
 TD reached 8193' MD @ 0030 hrs 5/21/17

HoleData:

9 7/8" Coring, ,

CasingData:

N/A, N/A, N/A, N/A

MudData:

Water Base Mud

Personnel:

Daniel Hanson

Time

Comment1

Hookload Klb 0 <---> 300
 WOB Klb 0 <---> 40
 Top Drive RPM 0 <---> 150
 Hole Depth ft 0 <---> 100

Standpipe Pressure psi 0 <---> 1000
 Hook Position ft 0 <---> 150
 Cement Pressure psi 0 <---> 1000

ROP Interval ft/hr 0 <---> 300
 Torque KFLB 0 <---> 40

Flow In gal/min 0 <---> 500
 SPM 1 min 0 <---> 100
 SPM 2 min 0 <---> 125





